
ABSENCE OF GHG WMG IN 20TH CENTURY DESTROYS IPCC PROOF FOR AGW

S Fred Singer University of Virginia and SEPP

ICCC-12

Heartland Int'l Conf on CLIMATE CHANGE Washington DC, March 23, 2017



THIS ICONIC IPCC FIGURE SHOWS

Two 20th -cy sfc wmgs [1910-40 & 1975-2000]

- The earlier wmg is genuine but generally considered of natural origin, unrelated to rising GHG levels
- The later reported wmg is not global-FAKE [NIPCC 2011] but an artifact of the data analyses -disagrees with 8 other datasets.
- Lastly, pause shows CO2 ineffective as GHG
- HERE WE TRY TO EXPLAIN WHY THE SURFACE DATA OF 1975-2000

Discrepancies between Data Sets

• Criterion adopted: Temp difference 1995-1942

Land-based sfc; Global (IPCC): Diff=~0.5C

» US (GISS): Diff=~zero

 Ocean: SST (Gouretski GRL 2012) Diff=~zero NMAT (Hadley Centre) Diff=~zero OHC (1997 -1979) "ave" Diff=<0.1C


• Atm: Satellite MSU-LT (<u>1997-79</u>) Diff=~zero Radiosondes (<u>1997-79</u>) Diff=~zero

Proxies (mostly land-sfc)
 Diff=~zero

NIPCC [2011] RESULTS

- 1910-40 wmg supported by proxy data
- 1975-00 "global wmg" trend contradicted by 8 datasets: USA sfc, SST, NMAT, extreme temps, solar,
- atm trends [radiosonde&sat;Santer hotspot],
- proxies [withheld by Mann's *Nature* trick]


AR-IL-IN-IA-KS-MO-NE-OK Number of Record Daily High Temperatures as of 2012 for 229 USHCN stations with 80years



• Thus, there is no real evidence at all for GHG wmg; yet IPCC AR4&5 use this later wmg as proof for AGW


• HERE WE TRY TO EXPLAIN WHY THE SURFACE DATA OF 1975-2000 SHOW A GLOBAL WMG THAT DOESN'T EXIST

The *Missing* Greenhouse Gas "Hot Spot" All The IPCC Computer Models Predict It; Real World Measurements Do Not Find It





Sources: (A) Assessment Report 4, IPCC 2007; (B) Synthesis and Assessment Report 1.1 CCSP, 2006

Temperature Changes from more than 30 Years of Satellite Observations



Source: drroyspencer.com/latest-global-temperatures





Monthly Average.

NIPCC [2011] RESULTS

- 1910-40 wmg supported by proxy data
- 1975-00 "global wmg" trend contradicted by 8 datasets: USA sfc, SST, NMAT, extreme temps, solar,
- atm trends [radiosonde&sat;Santer hotspot],
- proxies [withheld by Mann's *Nature* trick]

AR-IL-IN-IA-KS-MO-NE-OK Number of Record Daily High Temperatures as of 2012 for 229 USHCN stations with 80+ years







Fig. 16. The climate record as deduced from the width of tree rings. Compared are the ring-width chronology (solid line) and the reconstruction of Arctic annual temperature anomalies (dashed line) [Jacoby et al. 1996, reprinted with permission, (c) American Association for the Advancement of Science]. Note the sharp increase between 1880 and 1940.










NIPCC vs. IPCC

Addressing the Disparity between Climate Models and Observations: Testing the Hypothesis of Anthropogenic Global Warming



Interim Science Update Presented at Majorana Conference in Erice, Sicily August 2011 • Thus, there is no real evidence at all for GHG wmg; yet IPCC AR4&5 use this later wmg as proof for AGW

• HERE WE TRY TO EXPLAIN WHY THE SURFACE DATA OF 1975-2000 SHOW A GLOBAL WMG THAT DOESN'T EXIST




Nature — Not Human Activity— Rules the Climate




THE NONGOVERNMENTAL INTERNATIONAL PANEL
ON CLIMATE CHANGE




SCIENCE AND ENVIRONMENTAL POLICY PROJECT




Source: JJ Kennedy et al. JGR 2011.





Stalagmite Records in Oman



Age (kyr BP)

¹⁴C − a Proxy for Solar Activity

¹⁸O − a Proxy for Temperature

The stalagmite record shows a remarkably close correlation between ¹⁴C and ¹⁸O over a period of more than 3,000 years.

Thus, a strong association exists between solar activity and temperature.

One Century Duration!

Neff et al. (2001)

Why don't we see Greenhouse Warming in the Climate record? Where is it?

After all, CO2 is a GH gas whose level is increasing Climate sensitivity much less than IPCC's Models do not include negative feedbacks Models ignore important forcings

Data: Problem with trends and 'smoothing'

How I became a Skeptic

- The Early Years (1956 –1988)
- GW Promotion And Skepticism (1988)
- My Doubts Become Stronger (1990)
- Proxy data
- UHI And Loss Of Stations
- Sea Surface Temperatures (SST) (2005-
- Fingerprints (1995-
- Negative Feedbacks
- Solar Influences

Conclusions

- We see no evidence for significant AGW
- GH models and observations disagree
- Hence, the human contribution to GW is not significant.
- And CO2 is not a pollutant.

Global upwelling radiation in the atmosphere for the GH-gases H₂O, CO₂, O₃ and CH₄ at T=288K

